

MAUVE ACCESSIBILITY EVALUATION REPORT



GUIDELINE SET: set composed of one or more guidelines.

GUIDELINE: it expresses general concepts about the accessibility of Web pages and it is composed of one or more criteria (for example, "Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language").

CRITERION: it specializes concepts from a guideline, focusing on a particular aspect of the Web pages and it is composed of one or more checkpoints, (for example, "All non-text content that is presented to the user has a text alternative that serves the equivalent purpose").

CHECKPOINT: consists of one or more checks and expresses concretely the requirements that must be met by one or more components of a Web page (tags, attributes, CSS properties etc.), such as "Accessibility issue, due to omitting the alt attribute on img elements, area elements, and input elements of type image".





| BASE URL | https://www.comune.cinquefrondi.rc. |
|-------------------------------|-------------------------------------|
| CRAWLING PARAMETERS | |
| Number of pages | 10 |
| Depth | 10 |
| NUMBER OF EVALUATED WEB PAGES | 10 |
| EVALUATION DATE | 23 mar 2022 |
| EVALUATION TIME | 10:07: |

MAUVE++ ACCESSIBILITY PERCENTAGE

The MAUVE++ accessibility percentage is a measure which indicates how much the website is accessible in terms of the number of checkpoints successfully evaluated over the total number of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

86%



The MAUVE++ evaluation completeness is a measure which indicates the percentage of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

88%



TOTAL ERRORS

We compute the number of erroneus checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of errors' occurrences per page.

16 TOTAL CHECKPOINT TYPES WITH RESULT "ERROR"

4088 TOTAL ERROR OCCURRENCIES FOUND

408 AVERAGE ERROR OCCURENCIES PER PAGE

TOTAL WARNINGS

We compute the number of warning checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of warnings' occurrences per page.

TOTAL CHECKPOINT TYPES WITH RESULT "WARNING"

2654 TOTAL WARNINGS OCCURENCIES FOUND

265 AVERAGE WARNING OCCURENCIES PER PAGE


MOST ERRONEUS PAGES

We compute a rank of the most erroneus pages of the website, according to the occurrences of errors found in each evaluated page.

- $\textbf{1.} \quad \text{https://www.comune.cinquefrondi.rc.it/zf/index.php/storia-comune}$
- 2. https://www.comune.cinquefrondi.rc.it/po/elenco_news_rss.php?tags=3%2c2&
- 3. https://www.comune.cinquefrondi.rc.it/hh/index.php



PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/storia-comune



| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| | PERCEIVABLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 8 |
| Е | SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| E | SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 1 |




| E/W | Errors | No. of occurrences |
|--------|---|--------------------|
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 190 |
| | OPERABLE | |
| E | SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| ROBUST | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 |
| Е | SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/storia-comune



| E/W | Errors | No. of occurrences |
|---------|--|--------------------|
| ARIA | | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |
| CONTENT | | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 190 |




| E/W | Errors | No. of occurrences |
|------------|---|--------------------|
| | FORM | |
| Е | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| | HTML | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| | IMG | |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 1 |
| LINK | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 8 |
| RESPONSIVE | | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/storia-comune




| E/W | Errors | No. of occurrences |
|------|--|--------------------|
| | STYLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 |
| E | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 190 |
| HTML | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 8 |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |



| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| E | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 1 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |

PAGES EVALUATION


PAGE URL: https://www.comune.cinquefrondi.rc.it/po/elenco_news_rss.php?tag



| E/W | Errors | No. of occurrences | |
|----------------|--|--------------------|--|
| | PERCEIVABLE | | |
| E | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 192 | |
| Е | SC 1.4.12 - Tech C28 Specifying the size of text containers using em units | 2637 | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 1 | |
| UNDERSTANDABLE | | | |
| Е | SC 3.1.1 - Tech H57 Using language attributes on the html element | 1 | |

PAGES EVALUATION

PAGE URL: https://www.comune.cinquefrondi.rc.it/po/elenco_news_rss.php?tag



| E/W | Errors | No. of occurrences |
|---------|---|--------------------|
| CONTENT | | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 1 |
| HTML | | |
| Е | SC 3.1.1 - Tech H57 Using language attributes on the html element | 1 |
| | RESPONSIVE | |



| E/W | Errors | No. of occurrences |
|-----|--|--------------------|
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 192 |
| Е | SC 1.4.12 - Tech C28 Specifying the size of text containers using em units | 2637 |






PAGE URL: https://www.comune.cinquefrondi.rc.it/po/elenco_news_rss.php?tag



| E/W | Errors | No. of occurrences | |
|------|--|--------------------|--|
| | STYLE | | |
| E | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 192 | |
| Е | SC 1.4.12 - Tech C28 Specifying the size of text containers using em units | 2637 | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 1 | |
| HTML | | | |
| Е | SC 3.1.1 - Tech H57 Using language attributes on the html element | 1 | |



PAGE URL: https://www.comune.cinquefrondi.rc.it/hh/index.php



| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| | PERCEIVABLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 48 |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 52 |
| Е | SC 1.1.1 - Tech H30 Providing link text that describes the purpose of a link for anchor elements | 24 |
| Е | SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image | 1 |
| Е | SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| Е | SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |




| E/W | Errors | No. of occurrences |
|--------|---|--------------------|
| E | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 355 |
| | OPERABLE | |
| Е | SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements | 24 |
| E | SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| ROBUST | | |
| E | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 36 |
| Е | SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/hh/index.php



| E/W | Errors | No. of occurrences |
|---------|--|--------------------|
| ARIA | | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |
| CONTENT | | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 355 |




| E/W | Errors | No. of occurrences | |
|------------|---|--------------------|--|
| | FORM | | |
| E | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 | |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| E | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 | |
| | HTML | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 36 | |
| E | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 | |
| | IMG | | |
| E | SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image | 1 | |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 12 | |
| | LINK | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 52 | |
| Е | SC 1.1.1 - 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements | 24 | |
| RESPONSIVE | | | |
| E | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 48 | |





PAGE URL: https://www.comune.cinquefrondi.rc.it/hh/index.php



| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| | STYLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 48 |
| Е | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| E | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 355 |
| | HTML | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 52 |
| E | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 36 |
| Е | SC 1.1.1 - 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements | 24 |
| Е | SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image | 1 |




| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| E | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 12 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |





PAGE URL: https://www.comune.cinquefrondi.rc.it



| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| | PERCEIVABLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 48 |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 52 |
| Е | SC 1.1.1 - Tech H30 Providing link text that describes the purpose of a link for anchor elements | 24 |
| Е | SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image | 1 |
| Е | SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| E | SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |




| E/W | Errors | No. of occurrences |
|--------|---|--------------------|
| E | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 355 |
| | OPERABLE | |
| Е | SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements | 24 |
| E | SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| ROBUST | | |
| E | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 36 |
| Е | SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |





PAGE URL: https://www.comune.cinquefrondi.rc.it



| E/W | Errors | No. of occurrences |
|---------|--|--------------------|
| ARIA | | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |
| CONTENT | | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 355 |




| E/W | Errors | No. of occurrences | |
|------------|---|--------------------|--|
| | FORM | | |
| E | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 | |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| E | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 | |
| | HTML | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 36 | |
| E | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 | |
| | IMG | | |
| E | SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image | 1 | |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 12 | |
| | LINK | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 52 | |
| Е | SC 1.1.1 - 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements | 24 | |
| RESPONSIVE | | | |
| E | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 48 | |





PAGE URL: https://www.comune.cinquefrondi.rc.it



| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| | STYLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 48 |
| E | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 355 |
| | HTML | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 52 |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 36 |
| Е | SC 1.1.1 - 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements | 24 |
| Е | SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image | 1 |




| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| E | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 12 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/mc/mc_matri_p_ricerca.php



| E/W | Errors | No. of occurrences |
|-----|--|--------------------|
| | PERCEIVABLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 48 |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 11 |
| E | SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 6 |
| Е | SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 3 |
| Е | SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value | 2 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 6 |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 20 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 206 |




| E/W | Errors | No. of occurrences |
|----------|---|--------------------|
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 |
| OPERABLE | | |
| Е | SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 6 |
| ROBUST | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 |
| E | SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 3 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |
| W | SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful | 1 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/mc/mc_matri_p_ricerca.php



| E/W | Errors | No. of occurrences |
|---------|---|--------------------|
| ARIA | | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |
| W | SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful | 1 |
| CONTENT | | |
| E | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 20 |




| E/W | Errors | No. of occurrences | |
|------------|--|--------------------|--|
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 206 | |
| | FORM | | |
| Е | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 6 | |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 3 | |
| Е | SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value | 2 | |
| E | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 6 | |
| HTML | | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 | |
| | LINK | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 11 | |
| RESPONSIVE | | | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 48 | |
| TABLE | | | |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 | |





PAGE URL: https://www.comune.cinquefrondi.rc.it/mc/mc_matri_p_ricerca.php



| E/W | Errors | No. of occurrences | |
|------|--|--------------------|--|
| | STYLE | | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 48 | |
| E | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 6 | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 20 | |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 206 | |
| HTML | | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 11 | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 3 | |
| Е | SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value | 2 | |




| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| E | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| E | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 6 |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |
| W | SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful | 1 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/cinquefrondi/zf/index.php/serv



| E/W | Errors | No. of occurrences | |
|-----|---|--------------------|--|
| | PERCEIVABLE | | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 54 | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 23 | |
| Е | SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 | |
| Е | SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 | |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 34 | |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 3 | |




| E/W | Errors | No. of occurrences | |
|----------|---|--------------------|--|
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 247 | |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 3 | |
| OPERABLE | | | |
| Е | SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 | |
| | ROBUST | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| Е | SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 | |





PAGE URL: https://www.comune.cinquefrondi.rc.it/cinquefrondi/zf/index.php/serv



| E/W | Errors | No. of occurrences | |
|------|--|--------------------|--|
| ARIA | | | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 | |
| | CONTENT | | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 34 | |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 247 | |




| E/W | Errors | No. of occurrences | |
|------------|---|--------------------|--|
| | FORM | | |
| Е | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 | |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| E | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 | |
| | HTML | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 | |
| | IMG | | |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 3 | |
| | LINK | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 23 | |
| RESPONSIVE | | | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 54 | |
| TABLE | | | |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 3 | |



PAGES EVALUATION

PAGE URL: https://www.comune.cinquefrondi.rc.it/cinquefrondi/zf/index.php/serv



| E/W | Errors | No. of occurrences | |
|-----|--|--------------------|--|
| | STYLE | | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 54 | |
| E | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 34 | |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 247 | |
| | HTML | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 23 | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 | |




| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| E | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| W | SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text) | 3 |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 3 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/comunita-religio



| E/W | Errors | No. of occurrences |
|-----|--|--------------------|
| | PERCEIVABLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 12 |
| Е | SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables | 1 |
| E | SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| Е | SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 190 |




| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 |
| | OPERABLE | |
| Е | SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| | ROBUST | |
| E | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 |
| Е | SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 30 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/comunita-religio



| E/W | Errors | No. of occurrences | |
|-----|--|--------------------|--|
| | ARIA | | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 30 | |
| | CONTENT | | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 | |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 190 | |




| E/W | Errors | No. of occurrences | |
|-------|--|--------------------|--|
| | FORM | | |
| Е | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 | |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| E | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 | |
| HTML | | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| E | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 | |
| | LINK | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 12 | |
| | RESPONSIVE | | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 | |
| TABLE | | | |
| E | SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables | 1 | |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 | |





PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/comunita-religio



| E/W | Errors | No. of occurrences |
|------|--|--------------------|
| | STYLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 |
| Е | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 190 |
| HTML | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 12 |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 |
| Е | SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables | 1 |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |




| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| E | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 30 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/cinquefrondi/zf/index.php/tras




| E/W | Errors | No. of occurrences |
|-----|--|--------------------|
| | PERCEIVABLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 140 |
| Е | SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| Е | SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 366 |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 |



| E/W | Errors | No. of occurrences | |
|--------|---|--------------------|--|
| | OPERABLE | | |
| E | SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 | |
| ROBUST | | | |
| E | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| E | SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 135 | |



PAGE URL: https://www.comune.cinquefrondi.rc.it/cinquefrondi/zf/index.php/tras



| E/W | Errors | No. of occurrences | |
|-----|--|--------------------|--|
| | ARIA | | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 135 | |
| | CONTENT | | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 | |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 366 | |




| E/W | Errors | No. of occurrences | |
|-------|--|--------------------|--|
| | FORM | | |
| E | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 | |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 | |
| HTML | | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 | |
| | LINK | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 140 | |
| | RESPONSIVE | | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 | |
| TABLE | | | |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 | |





PAGE URL: https://www.comune.cinquefrondi.rc.it/cinquefrondi/zf/index.php/tras



| E/W | Errors | No. of occurrences |
|-----|--|--------------------|
| | STYLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 |
| E | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 366 |
| | HTML | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 140 |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |




| E/W | Errors | No. of occurrences |
|-----|--|--------------------|
| E | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 135 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/itinerari



| E/W | Errors | No. of occurrences |
|-----|--|--------------------|
| | PERCEIVABLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 10 |
| Е | SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables | 4 |
| Е | SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| Е | SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 184 |




| E/W | Errors | No. of occurrences | |
|-----|---|--------------------|--|
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 | |
| | OPERABLE | | |
| Е | SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 | |
| | ROBUST | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| Е | SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 | |





PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/itinerari



| E/W | Errors | No. of occurrences |
|---------|--|--------------------|
| | ARIA | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |
| CONTENT | | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 184 |




| E/W | Errors | No. of occurrences | |
|-------|--|--------------------|--|
| | FORM | | |
| Е | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 | |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 | |
| | HTML | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 | |
| | LINK | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 10 | |
| | RESPONSIVE | | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 | |
| TABLE | | | |
| Е | SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables | 4 | |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 | |





PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/itinerari



| E/W | Errors | No. of occurrences |
|-----|--|--------------------|
| | STYLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 32 |
| E | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 2 |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 12 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 184 |
| | HTML | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 10 |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 |
| Е | SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables | 4 |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |




| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| E | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 2 |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/locali-pubblici



| E/W | Errors | No. of occurrences |
|-----|--|--------------------|
| | PERCEIVABLE | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 36 |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 8 |
| Е | SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables | 5 |
| Е | SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 4 |
| Е | SC 1.1.1 - 1.3.1 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value | 1 |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 4 |




| E/W | Errors | No. of occurrences |
|----------------|---|--------------------|
| Е | SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs | 1 |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 16 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 191 |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 |
| UNDERSTANDABLE | | |
| Е | SC 3.2.2 - Tech H32 Providing submit buttons | 1 |
| | OPERABLE | |
| Е | SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 4 |
| | ROBUST | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 |
| Е | SC 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |





PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/locali-pubblici



| E/W | Errors | No. of occurrences |
|---------|--|--------------------|
| ARIA | | |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |
| CONTENT | | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 16 |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 191 |




| E/W | Errors | No. of occurrences | |
|------------|--|--------------------|--|
| FORM | | | |
| E | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 4 | |
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 | |
| Е | SC 3.2.2 - Tech H32 Providing submit buttons | 1 | |
| Е | SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value | 1 | |
| Е | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 4 | |
| HTML | | | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| Е | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 | |
| LINK | | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 8 | |
| RESPONSIVE | | | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 36 | |
| Е | SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs | 1 | |
| TABLE | | | |
| Е | SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables | 5 | |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 | |





PAGE URL: https://www.comune.cinquefrondi.rc.it/zf/index.php/locali-pubblici



| E/W | Errors | No. of occurrences | |
|-------|--|--------------------|--|
| STYLE | | | |
| Е | SC 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size | 36 | |
| Е | SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator | 4 | |
| Е | SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs | 1 | |
| Е | SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes | 16 | |
| W | SC 1.4.12 - Tech C21 Specifying line spacing in CSS | 191 | |
| HTML | | | |
| Е | SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision | 8 | |
| Е | SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage | 32 | |
| Е | SC 1.3.1 - Tech H63 Using the scope attribute to associate header cells and data cells in data tables | 5 | |



| E/W | Errors | No. of occurrences |
|-----|---|--------------------|
| Е | SC 1.1.1 - 1.3.1 - 4.1.1 - 4.1.2 - Tech H65 Using the title attribute to identify form controls when the label element cannot be used | 2 |
| Е | SC 3.2.2 - Tech H32 Providing submit buttons | 1 |
| Е | SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value | 1 |
| E | SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations | 1 |
| E | SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator | 4 |
| W | SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables | 1 |
| W | SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component | 24 |

HIIS LAB @ ISTI-CNR

Pisa • Italy

Interest in design and development of interactive software applications has increased considerably over the last few years. The underlying reason for this interest is the need to provide the greatest number of people with access to applications for the largest number of purposes and in the widest number of contexts. Our research activity is in methods and tools to support user interface designers, software developers, and end users in obtaining systems that can be accessed from different contexts of use (devices, users, physical and social environments) in such a way to improve usability, accessibility, and user experience.

The main goal is to propose new solutions in basic and applied research in the field of human-computer interaction, specifically in user interface software and technologies, mainly under the aegis of national and international programmes and private sector R&D contracts. One of the first groups in Italy in the HCI area, we have become well-known at an International level, as demonstrated by participation in numerous European projects and the board of the most important HCI conferences, and publications in the major HCI and software engineering journals and conferences.

The main research areas concern Methods and Tools for the Analysis, Design and Development of Interactive Applications, Intelligent Interfaces, Interfaces for Ubiquitous Applications, MultiModal Interfaces, Accessibility, Usability Engineering and Models for HCI. Such work has led to the development of a numbers of tools and applications, many of which are publicly available for download.

Via G.Moruzzi 1 56124 Pisa Italy Room: Building B - Entrance 17 - II Floor

http://hiis.isti.cnr.it/lab/home